



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

BELGE NUMARASI 008977-TSE-03/04
REFERENCE NUMBER OF LICENCE

BELGENİN İLK VERİLİŞ TARİHİ 09.05.2016
DATE OF FIRST ISSUE OF LICENCE

BELGENİN SON GEÇERLİLİK TARİHİ 02.01.2027
LICENCE VALID UNTIL

BELGE SAHİBİ KURULUŞUN ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE
NAME OF THE LICENCE HOLDER TİCARET ANONİM ŞİRKETİ

BELGE SAHİBİ KURULUŞUN ADRESİ PELİTLİ MAH. 4443. SK. NO:6 GEBZE KOCAELİ/TÜRKİYE
ADDRESS OF THE LICENCE HOLDER

ÜRETİM YERİ ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE TİCARET
NAME OF THE MANUFACTURING PLACE ANONİM ŞİRKETİ

ÜRETİM YERİ ADRESİ İNÖNÜ MAHALLESİ GEBZE PLASTİKÇİLER OSB, CUMHURİYET CD.
ADDRESS OF THE MANUFACTURING PLACE NO:52, 41400 GEBZE KOCAELİ / TÜRKİYE

İPTAL EDİLEN BELGE NUMARASI (Varsa) 008977-TSE-03/03
INDICATION OF SUPERSEDED LICENCE (if any)

TESCİLLİ TİCARİ MARKASI pımtaş
REGISTERED TRADE MARK

İLGİLİ TÜRK STANDARDI TS EN ISO 16135 / 31.01.2012
RELATED TURKISH STANDARD

BELGE KAPSAMI
SCOPE OF LICENCE

INDUSTRIAL VALVES - BALL VALVES OF THERMOPLASTICS MATERIALS HAND-OPERATED ONE -WAY BALL VALVES; MADE OF PVC-U, FOR WATER TRANSPORTATION SYSTEMS
WORKING TEMPERATURE RANGE: +10 °C - +60 °C
NOMINAL PRESSURE: PN 16
NOMINAL SIZE: DN 15, DN 20, DN 25, DN 32, DN 40, DN 50
SPIGOT ENDS FOR CEMENTING OR FOR WELDING

e-imzalı/e-signed

04.03.2026

On Behalf Of The Head Of Certification Center
BERNA YAVUZ ÇETİNKAYA

DEPUTY MANAGER of İSTANBUL CERTIFICATION

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

BELGE NUMARASI 008977-TSE-02/03
REFERENCE NUMBER OF LICENCE

BELGENİN İLK VERİLİŞ TARİHİ 12.08.2004
DATE OF FIRST ISSUE OF LICENCE

BELGENİN SON GEÇERLİLİK TARİHİ 02.01.2027
LICENCE VALID UNTIL

BELGE SAHİBİ KURULUŞUN ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE
NAME OF THE LICENCE HOLDER TİCARET ANONİM ŞİRKETİ

BELGE SAHİBİ KURULUŞUN ADRESİ PELİTLİ MAH. 4443. SK. NO:6 GEBZE KOCAELİ/TÜRKİYE
ADDRESS OF THE LICENCE HOLDER

ÜRETİM YERİ ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE TİCARET
NAME OF THE MANUFACTURING PLACE ANONİM ŞİRKETİ

ÜRETİM YERİ ADRESİ İNÖNÜ MAHALLESİ GEBZE PLASTİKÇİLER OSB, CUMHURİYET CD.
ADDRESS OF THE MANUFACTURING PLACE NO:52, 41400 GEBZE KOCAELİ / TÜRKİYE

İPTAL EDİLEN BELGE NUMARASI (Varsa) 008977-TSE-02/02
INDICATION OF SUPERSEDED LICENCE (if any)

TESCİLLİ TİCARİ MARKASI pımtaş
REGISTERED TRADE MARK

İLGİLİ TÜRK STANDARDI TS EN ISO 1452-3 / 13.12.2011
RELATED TURKISH STANDARD

BELGE KAPSAMI
SCOPE OF LICENCE

“PLASTICS PIPING SYSTEMS FOR WATER SUPPLY AND FOR BURIED AND ABOVE-GROUND DRAINAGE AND SEWERAGE UNDER PRESSURE - UNPLASTICIZED POLY (VINYL CHLORIDE) (PVC-U) - PART 3: FITTINGS”
• FITTINGS
COMBINED WITH SOLKVENT-BORNE ADHESIVE, DIMENSION GROUP:1,2,PN 16, (FROM Ø20 mm TO Ø225 mm) AND DIMENSION GROUP:3 PN 10, (FROM Ø250 mm TO Ø315 mm), USED IN DRINKING AND POTABLE WATER, MADE FROM PVC-U (UNPLASTICIZED POLYVINYL CHLORIDE)

e-imzalı/e-signed

29.12.2025

On Behalf Of The Head Of Certification Center
YUNUS MERCAN

DEPUTY MANAGER of İSTANBUL CERTIFICATION

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



(008977-TSE-02/03nolu belge devamı) : PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS EN ISO 1452-3 / 13.12.2011

G İŞARETLEMESİ BİLGİLERİ

Bu ek sayfa **008977-TSE-02/03** numaralı Türk Standardlarına Uygunluk Belgesi ile birlikte kullanılır. Türk Standardlarına Uygunluk Belgesi'nin yürürlükte olduğu süre için geçerlidir.

G İŞARET İLK VERİLİŞ TARİHİ: 12.08.2004

UYGUNLUK TEYİT SİSTEMİ: Sistem 1 plus

Üretimini yaparak piyasaya arz ettiğiniz ürünler üzerine "G" İşareti iliştirebilme talebiniz T.C. Çevre ve Şehircilik Bakanlığı tarafından yayımlanan "Yapı Malzemelerinin Tabi Olacağı Kriterler Hakkında Yönetmelik" çerçevesinde "Yapı Malzemelerinin Tabi Olacağı Kriterler Hakkında Yönetmelik Kapsamında Türk Standardları Enstitüsü'nün (TSE) Gerçekleştireceği Uygunluk Değerlendirme ve Belgelendirme İşlemleri Hakkında Tebliğ" doğrultusunda değerlendirilmiş olup, bu belge kapsamında yer alan ürünler üzerine "G" İşareti iliştiirmeniz uygun bulunmuştur.

e-imzalı/e-signed

29.12.2025

On Behalf Of The Head Of Certification Center
YUNUS MERCAN

DEPUTY MANAGER of İSTANBUL CERTIFICATION

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayirova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

BELGE NUMARASI 008977-TSE-05/02
REFERENCE NUMBER OF LICENCE

BELGENİN İLK VERİLİŞ TARİHİ 03.02.2021
DATE OF FIRST ISSUE OF LICENCE

BELGENİN SON GEÇERLİLİK TARİHİ 14.11.2026
LICENCE VALID UNTIL

BELGE SAHİBİ KURULUŞUN ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE
NAME OF THE LICENCE HOLDER TİCARET ANONİM ŞİRKETİ

BELGE SAHİBİ KURULUŞUN ADRESİ PELİTLİ MAH. 4443. SK. NO:6 GEBZE KOCAELİ/TÜRKİYE
ADDRESS OF THE LICENCE HOLDER

ÜRETİM YERİ ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE TİCARET A.Ş.
NAME OF THE MANUFACTURING PLACE

ÜRETİM YERİ ADRESİ PELİTLİ MAH. 4443. SOKAK NO:6 GEBZE KOCAELİ / TÜRKİYE
ADDRESS OF THE MANUFACTURING PLACE

İPTAL EDİLEN BELGE NUMARASI (Varsa) 008977-TSE-05/01
INDICATION OF SUPERSEDED LICENCE (if any)

TESCİLLİ TİCARİ MARKASI pimtaş
REGISTERED TRADE MARK

İLGİLİ TÜRK STANDARDI TS ISO 17885 / 30.09.2021
RELATED TURKISH STANDARD

BELGE KAPSAMI
SCOPE OF LICENCE

Plastic piping systems – Mechanical fittings for pressure piping systems
-The field of application :W,I
-Nominal pressure: PN 16
-Plastic components body materials: PE pipe
Made of PP-B, Type 1, Class 1, Ø 20 mm (Including) to Ø 110 mm (Including), PN 16, End-loaded compression fittings

e-imzalı/e-signed

10.11.2025

On Behalf Of The Head Of Certification Center
Yunus MERCAN

MANAGER OF THE TSE ISTANBUL CERTIFICATION
DIRECTORATE D.

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail

:bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

BELGE NUMARASI 008977-TSE-01/03
REFERENCE NUMBER OF LICENCE

BELGENİN İLK VERİLİŞ TARİHİ 11.08.2004
DATE OF FIRST ISSUE OF LICENCE

BELGENİN SON GEÇERLİLİK TARİHİ 03.07.2027
LICENCE VALID UNTIL

BELGE SAHİBİ KURULUŞUN ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE
NAME OF THE LICENCE HOLDER TİCARET ANONİM ŞİRKETİ

BELGE SAHİBİ KURULUŞUN ADRESİ PELİTLİ MAH. 4443. SK. NO:6 GEBZE KOCAELİ/TÜRKİYE
ADDRESS OF THE LICENCE HOLDER

ÜRETİM YERİ ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE TİCARET
NAME OF THE MANUFACTURING PLACE ANONİM ŞİRKETİ

ÜRETİM YERİ ADRESİ İNÖNÜ MAHALLESİ GEBZE PLASTİKÇİLER OSB, CUMHURİYET CD.
ADDRESS OF THE MANUFACTURING PLACE NO:52, 41400 GEBZE KOCAELİ / TÜRKİYE

İPTAL EDİLEN BELGE NUMARASI (Varsa) 008977-TSE-01/02
INDICATION OF SUPERSEDED LICENCE (if any)

TESCİLLİ TİCARİ MARKASI PİMTAŞ
REGISTERED TRADE MARK

İLGİLİ TÜRK STANDARDI TS EN ISO 1452-2 / 14.07.2011
RELATED TURKISH STANDARD

BELGE KAPSAMI
SCOPE OF LICENCE

*** PIPES**

Made of PVC-U (Unplasticized Polyvinyl Chloride) for potable and utilisation water systems

Nominal diameter :From Q50 mm (including) to Q315 mm (including) . Size group : 1,2 ve 3. Nominal pressure : PN 6 , each pipe : Solvent cement each pipe (08.01.2014 K.G.)

Nominal diameter :From Q32 mm (including) to Q315 mm (including) . Size group : 1,2 ve 3. Nominal pressure : PN 10 , each pipe : Solvent cement each pipe (08.01.2014 K.G.)

Nominal diameter :From Q20 mm (including) to Q315 mm (including) . Size group : 1,2 ve 3. Nominal pressure : PN 16 , each pipe : Solvent cement each pipe (08.01.2014 K.G.)

Nominal diameter :From Q50 mm (including) to Q315 mm (including) . Size group : 1,2 ve 3. Nominal pressure : PN 6 , each pipe : Pipes with elastomeric Ring Gasket Socket (08.01.2014 K.G.)

e-imzalı/e-signed

29.06.2026

On Behalf Of The Head Of Certification Center
SEFER BURAK KACAR

DEPUTY MANAGER OF ISTANBUL CERTIFICATION

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayirova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



(008977-TSE-01/03nolu belge devamı) : PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE TİCARET ANONİM
ŞİRKETİ
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS EN ISO 1452-2 / 14.07.2011

Nominal diameter :From Q50 mm (including) to Q315 mm (including) . Size group : 1,2 ve 3. Nominal pressure : PN 10 , each pipe : Pipes with elastomeric Ring Gasket Socket (08.01.2014 K.G.)

Nominal diameter :From Q50 mm (including) to Q315 mm (including) . Size group : 1,2 ve 3. Nominal pressure : PN 16 , each pipe : Pipes with elastomeric Ring Gasket Socket (08.01.2014 K.G.)

e-imzalı/e-signed

29.06.2026

On Behalf Of The Head Of Certification Center
SEFER BURAK KACAR

DEPUTY MANAGER OF ISTANBUL CERTIFICATION

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



(008977-TSE-01/03nolu belge devamı) : PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS EN ISO 1452-2 / 14.07.2011

G İŞARETLEMESİ BİLGİLERİ

Bu ek sayfa **008977-TSE-01/03** numaralı Türk Standardlarına Uygunluk Belgesi ile birlikte kullanılır. Türk Standardlarına Uygunluk Belgesi'nin yürürlükte olduğu süre için geçerlidir.

G İŞARET İLK VERİLİŞ TARİHİ: 11.08.2004

UYGUNLUK TEYİT SİSTEMİ: Sistem 1 plus

Üretimini yaparak piyasaya arz ettiğiniz ürünler üzerine "G" İşareti iliştirebilme talebiniz T.C. Çevre ve Şehircilik Bakanlığı tarafından yayımlanan "Yapı Malzemelerinin Tabi Olacağı Kriterler Hakkında Yönetmelik" çerçevesinde "Yapı Malzemelerinin Tabi Olacağı Kriterler Hakkında Yönetmelik Kapsamında Türk Standardları Enstitüsü'nün (TSE) Gerçekleştireceği Uygunluk Değerlendirme ve Belgelendirme İşlemleri Hakkında Tebliğ" doğrultusunda değerlendirilmiş olup, bu belge kapsamında yer alan ürünler üzerine "G" İşareti iliştiirmeniz uygun bulunmuştur.

e-imzalı/e-signed

29.06.2026

On Behalf Of The Head Of Certification Center
SEFER BURAK KACAR

DEPUTY MANAGER OF ISTANBUL CERTIFICATION

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayirova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

BELGE NUMARASI 008977-TSE-04/04
REFERENCE NUMBER OF LICENCE

BELGENİN İLK VERİLİŞ TARİHİ 01.02.2018
DATE OF FIRST ISSUE OF LICENCE

BELGENİN SON GEÇERLİLİK TARİHİ 24.06.2027
LICENCE VALID UNTIL

BELGE SAHİBİ KURULUŞUN ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE
NAME OF THE LICENCE HOLDER TİCARET ANONİM ŞİRKETİ

BELGE SAHİBİ KURULUŞUN ADRESİ PELİTLİ MAH. 4443. SK. NO:6 GEBZE KOCAELİ/TÜRKİYE
ADDRESS OF THE LICENCE HOLDER

ÜRETİM YERİ ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE TİCARET
NAME OF THE MANUFACTURING PLACE ANONİM ŞİRKETİ

ÜRETİM YERİ ADRESİ İNÖNÜ MAHALLESİ GEBZE PLASTİKÇİLER OSB, CUMHURİYET CD.
ADDRESS OF THE MANUFACTURING PLACE NO:52, 41400 GEBZE KOCAELİ / TÜRKİYE

İPTAL EDİLEN BELGE NUMARASI (Varsa) 008977-TSE-04/03
INDICATION OF SUPERSEDED LICENCE (if any)

TESCİLLİ TİCARİ MARKASI PİMTAŞ
REGISTERED TRADE MARK

İLGİLİ TÜRK STANDARDI TS EN 12201-2 / 04.03.2024
RELATED TURKISH STANDARD

BELGE KAPSAMI
SCOPE OF LICENCE

PLASTICS PIPING SYSTEMS FOR WATER SUPPLY, AND FOR DRAINAGE AND SEWERAGE UNDER
PRESSURE POLYETHYLENE (PE)- PIPES
-BLACK, PE 100, Ø 20 MM (INCLUDING) - Ø 75 MM (INCLUDING), SIZE GROUP 1
APPLICATION AREA: W/P
-BLACK, PE 100, Ø 75 MM (INCLUDING) - Ø 250 MM (INCLUDING), SIZE GROUP 2
APPLICATION AREA: W/P

e-imzalı/e-signed

29.06.2026

On Behalf Of The Head Of Certification Center
SEFER BURAK KACAR

DEPUTY MANAGER OF ISTANBUL CERTIFICATION

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayirova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



(008977-TSE-04/04nolu belge devamı) : PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS EN 12201-2 / 04.03.2024

G İŞARETLEMESİ BİLGİLERİ

Bu ek sayfa **008977-TSE-04/04** numaralı Türk Standardlarına Uygunluk Belgesi ile birlikte kullanılır. Türk Standardlarına Uygunluk Belgesi'nin yürürlükte olduğu süre için geçerlidir.

G İŞARET İLK VERİLİŞ TARİHİ: 07.10.2025

UYGUNLUK TEYİT SİSTEMİ: Sistem 1 plus

Üretimini yaparak piyasaya arz ettiğiniz ürünler üzerine "G" İşareti iliştirebilme talebiniz T.C. Çevre ve Şehircilik Bakanlığı tarafından yayımlanan "Yapı Malzemelerinin Tabi Olacağı Kriterler Hakkında Yönetmelik" çerçevesinde "Yapı Malzemelerinin Tabi Olacağı Kriterler Hakkında Yönetmelik Kapsamında Türk Standardları Enstitüsü'nün (TSE) Gerçekleştireceği Uygunluk Değerlendirme ve Belgelendirme İşlemleri Hakkında Tebliğ" doğrultusunda değerlendirilmiş olup, bu belge kapsamında yer alan ürünler üzerine "G" İşareti iliştiirmeniz uygun bulunmuştur.

e-imzalı/e-signed

29.06.2026

On Behalf Of The Head Of Certification Center
SEFER BURAK KACAR

DEPUTY MANAGER OF ISTANBUL CERTIFICATION

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayirova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

BELGE NUMARASI 008977-TSE-06/01
REFERENCE NUMBER OF LICENCE

BELGENİN İLK VERİLİŞ TARİHİ 10.09.2025
DATE OF FIRST ISSUE OF LICENCE

BELGENİN SON GEÇERLİLİK TARİHİ 10.09.2027
LICENCE VALID UNTIL

BELGE SAHİBİ KURULUŞUN ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE
NAME OF THE LICENCE HOLDER TİCARET ANONİM ŞİRKETİ

BELGE SAHİBİ KURULUŞUN ADRESİ PELİTLİ MAH. 4443. SK. NO:6 GEBZE KOCAELİ/TÜRKİYE
ADDRESS OF THE LICENCE HOLDER

ÜRETİM YERİ ADI PİMTAŞ PLASTİK İNŞAAT MALZEMELERİ SANAYİ VE TİCARET
NAME OF THE MANUFACTURING PLACE ANONİM ŞİRKETİ

ÜRETİM YERİ ADRESİ İNÖNÜ MAHALLESİ GEBZE PLASTİKÇİLER OSB, CUMHURİYET CD.
ADDRESS OF THE MANUFACTURING PLACE NO:52, 41400 GEBZE KOCAELİ / TÜRKİYE

İPTAL EDİLEN BELGE NUMARASI (Varsa)
INDICATION OF SUPERSEDED LICENCE (if any)

TESCİLLİ TİCARİ MARKASI pimbox
REGISTERED TRADE MARK

İLGİLİ TÜRK STANDARDI TS 13716 / 11.07.2016
RELATED TURKISH STANDARD

BELGE KAPSAMI
SCOPE OF LICENCE

PLASTICS VALVE BOXES

e-imzalı/e-signed

09.09.2026

On Behalf Of The Head Of Certification Center
YUNUS MERCAN

DEPUTY MANAGER of İSTANBUL CERTIFICATION

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayirova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr

